



SPECIFICATION

Rated Load Capacity:	1800 kg
Operating Weight:	4300 kg
Engine brand:	Yunnei
Engine model:	DEF20CDF4
Rated power:	45 kW
Rated speed:	2400 rpm
Number of cylinders:	4
Cooling system:	Water cooling
Hydraulic pump model:	CBG1018
Transmission model:	YJ265
Steering system pressure:	12 MPa
Working system pressure:	16 MPa
Fuel tank capacity:	45 L
Hydraulic oil tank capacity:	60 L
Brake oil capacity:	0.6 L

WORKING RANGE

Lifting height:	3 m
Bucket capacity:	0.6 m³
Bucket lifting time:	5.4 s
Bucket lowering time:	4.5 s
Bucket dumping time:	1.0 s
Max. travel speed (km/h):	Forward I: 8, II: 16 / Reverse I: 8, II: 16
Max. traction force:	2587 kgf
Min. turning radius:	4500 mm
Steering angle:	±30 °
Max. gradeability:	35%

Bucket width: 1800 mm

DIMENSIONS

Length:	5100 mm
Width:	1880 mm
Height:	2690 mm
Wheelbase:	2240 mm
Wheel track:	1640 mm
Ground clearance:	280 mm

4-in-1 Bucket	Auger
Bale Grab	Grapple (Crocodile-type)
Pallet Forks	Mower
Snow Plow	Sweeper
Bucket with grapple	

